

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:	JFJ POLI-CON	MANUFACTURER:	J.F.J. Disc Repair Inc.
SYNONYMS:	NA	ADDRESS:	15210 Keswick Street
PRODUCT CODES:	NA		Van Nuys CA 91405
PRODUCT USE:	Polish	TOLL-FREE PHONE:	800-245-3675
PREPARED BY:	Robert Blahnik	LOCAL CALLS:	818-908-9904
DATE PREPARED:	1-Jul-2013	FAX PHONE:	818-908-9905

SECTION 2: COMPOSITION / INFORMATION ON INGREDIENTS

Components not listed are either non-hazardous or in concentrations of less than 1%

<u>HAZARDOUS INGREDIENT:</u>	<u>CAS NO:</u>	<u>% WT:</u>
Mineral Spirits Aliphatics	64742-48-9	15-20%
Petroleum hydrocarbon solvent	64742-47-8	10-15%

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Combustible. Ingestion may be harmful

ROUTE(S) OF ENTRY: **INHALATION:** Yes **SKIN:** Yes **INGESTION:** Yes **EYES:** Yes

POTENTIAL HEALTH EFFECTS **INHALATION:** Vapors - Irritant **SKIN:** Irritant **INGESTION:** Harmful **EYES:** Irritant

ACUTE HEALTH HAZARDS: Prolonged skin contact may cause slight irritation. Can cause eye irritation.

Ingestion can cause gastrointestinal irritation and harm. Excessive inhalation may cause respiratory irritation.

CHRONIC HEALTH HAZARDS: Irritation, headache, nausea, vomiting, central nervous system depression.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE May aggravate pre-existing skin conditions.

CARCINOGENICITY **OSHA:** Not Listed **ACGIH:** Not Listed **NTP:** Not listed **IARC:** Not Listed **OTHER:**

SECTION 4: FIRST AID MEASURES

EYES: Flush with water, especially under eyelids, for at least 15 minutes. Call physician.

SKIN: Wash with soap and water, see physician if irritation persists.

INHALATION: Remove to fresh air, give oxygen if needed.

INGESTION: Do not induce vomiting. Get medical attention immediately.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: None beyond listed above

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS IN AIR	(% BY VOLUME)	UPPER:	LOWER:		
FLASH POINT: >20C F	>100 C	METHOD USED: TCC	AUTOIGNITION TEMPERATURE:	F	C
NFPA HAZARD CLASSIFICATION:	TOXICITY: 1	FLAMMABILITY: 1	REACTIVITY: 0	OTHER:	
HMIS HAZARD CLASSIFICATION:	HEALTH: 1	FLAMMABILITY: 1	REACTIVITY: 0	PROTECTION:	

EXTINGUISHING MEDIA: Foam, carbon dioxide, dry chemical

SPECIAL FIRE FIGHTING PROCEDURES: Cool fire exposed containers with water.

UNUSUAL FIRE AND EXPLOSION HAZARDS: See hazardous decompositions

HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon monoxide and other unidentified organic compounds may be released during combustion.

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES:

Contain spill. Remove with inert absorbent material. Wash spill area with water.

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE:

Store containers upright with lids (caps) tightly closed. Store between 40F(4C) - 100F(37.7C) Keep from freezing.

OTHER PRECAUTIONS: Keep out of the reach of children. Do not get in eyes or on skin.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

VENTILATION : LOCAL EXHAUST: Adequate MECHANICAL: OTHER:

RESPIRATORY PROTECTION: Avoid exposure levels. When exceeded, use self contained breathing apparatus.

EYE PROTECTION: Approved Safety Glasses SKIN PROTECTION: Rubber or Neoprene Gloves

PROTECTIVE CLOTHING OR EQUIPMENT: Eye wash fountain in work area is recommended.

WORK HYGIENIC PRACTICES: Observe good housekeeping practices.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	White to off white	ODOR:	Characteristic Odor	PHYSICAL STATE:	Viscous Cream
BOILING POINT:	220 F 104 C			pH AS SUPPLIED:	NA
MELTING POINT:	F C			SOLUBILITY IN WATER:	90%
FREEZING POINT:	F C			EVAPORATION RATE: BASIS (Butyl Acetate=1):	1
SPECIFIC GRAVITY (H2O = 1):	1			VAPOR PRESSURE (mmHg):	
				VAPOR DENSITY (AIR = 1):	>1

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable CONDITIONS TO AVOID: Open flame

INCOMPATIBILITY (MATERIAL TO AVOID): Strong acids or bases, oxidizing agents.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:

Carbon monoxide and other unidentified organic compounds may be released during combustion.

HAZARDOUS POLYMERIZATION: Will not occur CONDITIONS TO AVOID (POLYMERIZATION): NA

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION:	CAS NO:	OSHA PEL-TWA:	OSHA PEL STEL:	ACGIH TLV-TWA:
Mineral Spirits Aliphatics	64742-48-9	## ppm	## ppm	500 ppm
Petroleum hydrocarbon solvent	64742-47-8	## ppm		100 ppm

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: ND

MARINE POLLUTANT: ND

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: In accordance with Federal, State and local regulations.

RCRA HAZARD CLASS: Not Regulated

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (DOT)

PROPER SHIPPING NAME: Cleaning Compounds Not regulated in accordance with the 49 CFR

IATA - AIR TRANSPORTATION

PROPER SHIPPING NAME: Cleaning Compounds Not regulated in accordance with IATA

IMDG - WATER TRANSPORTATION

PROPER SHIPPING NAME: Cleaning Compounds Not regulated in accordance with IMDG

OTHER AGENCIES: NA

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances

EPA SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

302 EXTREMELY HAZARDOUS SUBSTANCES: None 311/312 HAZARD CLASS: Chronic, Fire

304 CERCLA HAZARDOUS SUBSTANCES: None 313 TOXIC CHEMICALS: None

STATE REGULATIONS: Not regulated in any state

WHMIS (CANADA) HAZARD SYMBOL AND CLASSIFICATION

INTERNATIONAL REGULATIONS: Not Regulated

INTERNATIONAL LISTS:

All chemical substances in this material are included on or exempted from listing on the following lists: Australia (AICS), Canada (DSL/NDSL), Europe (EINECS/ELINCS), Korea (TCCL), Japan (METI), the Philippines (RA6969).

SECTION 16: OTHER INFORMATION

PREPARATION INFORMATION: 2013

• END OF DOCUMENT •